

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**

· **Trade name:** Rollei Washjet

· **Article number:** RWJ11

· **UFI:** 32H1-J00M-K00G-AJCF

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**

Photo chemicals

Photographic activities

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

MACO PHOTO PRODUCTS

Brookstieg 4

22145 Stapelfeld

Germany

+49 40 23700888

info@maco-photo.de

www.rolleianalog.com

· **Informing department:**

+49 40 23700888

info@maco-photo.de

· **1.4 Emergency telephone number:**

Phone: +49 (0) 700-24112112 (CAL)

Phone: +1 872 5888271(CAL)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

IRL

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 1)



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

edetic acid
sodium hydroxide

· **Hazard statements**

H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

No special hazards known if the regulations/instructions for storage and handling are observed. Where applicable, this section provides information on other hazards that do not result in classification but may contribute to the overall hazards of the substance or mixture.

The product does not contain any substance above legal limits that fulfils the criteria for PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative). The product does not contain any substance above the legal limits that has been included in the list drawn up in accordance with Article 59(1) of Regulation (EC) No 1907/2006 due to endocrine disrupting properties or that has endocrine disrupting or endocrine disrupting properties in accordance with Commission Delegated

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 2)

Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.





- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 60-00-4 EINECS: 200-449-4	edetic acid  STOT RE 2, H373  Acute Tox. 4, H332; Eye Irrit. 2, H319 ATE: Systematic effects - long term inhalative: 1.5 mg/m ³	10 - 15%
CAS: 584-08-7 EINECS: 209-529-3	potassium carbonate  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥ 5 - < 10%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide  Met. Corr. 1, H290; Skin Corr. 1B, H314	≥ 2 - < 5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Instantly remove any clothing soiled by the product.
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 24 hours after the accident.
 Personal protection for the First Aider.

· **After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
 In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.
 Instantly rinse with water.

· **After eye contact**

Rinse opened eye for several minutes under running water (at least 15 minutes).
 Remove contact lenses, if present and easy to do.
 Protect uninjured eye.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 3)

Call a doctor immediately.

· After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Basic relief, decontamination, symptomatic treatment.

SECTION 5: Firefighting measures**· 5.1 Extinguishing media****· Suitable extinguishing agents**CO₂, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.**· 5.2 Special hazards arising from the substance or mixture**

Formation of poisonous gases during heating or in fires.

· 5.3 Advice for firefighters**· Protective equipment:**

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures**· 6.1 Personal precautions, protective equipment and emergency procedures**

Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

IRL

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 4)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
 Keep breathing equipment ready.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
 Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
 Keep container tightly sealed.
 Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class** 8 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

ATE (Acute Toxicity Estimates)

Inhalative	Systematic effects - long term	10.8 mg/m ³
------------	--------------------------------	------------------------

- **Additional information:**
 The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
 The usual precautionary measures should be adhered to general rules for handling chemicals.
 Keep away from foodstuffs, beverages and food.
 Take off immediately all contaminated clothing.
 Wash hands during breaks and at the end of the work.
 Store protective clothing separately.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 5)

Do not eat, drink or smoke while working.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Hand protection**

Protective gloves.

The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for the permeation: Level:

≥ 3 (60 min)

· **Eye/face protection** Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Fluid
· Colour:	Product specific
· Odour:	Product specific
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	Not determined
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 6)

· Flash point:	Not applicable
· Decomposition temperature:	Not determined.
· pH at 20 °C	11.2
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	
· Water:	miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	1.13 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 7)

· **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation**
Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
May cause damage to the respiratory tract through prolonged or repeated exposure.
Route of exposure: Inhalation.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
This statement was deduced from the properties of the single components.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 8)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Ecotoxicological effects:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): Water-endangering.
Do not allow product to reach ground water, water bodies or sewage system.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
At present there are no ecotoxicological assessments.
The product does not contain organically bounded halogens (AOX-free).
This statement was deduced from the properties of the single components.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Must be specially treated under adherence to official regulations.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue	
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	gases in pressure containers and discarded chemicals
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0


Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 9)

- **Uncleaned packagings:**
- **Recommendation:**
 Non contaminated packagings can be used for recycling.
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR/RID, IMDG, IATA	UN1719
· 14.2 UN proper shipping name	
· ADR/RID, IMDG, IATA	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
· 14.3 Transport hazard class(es)	
· ADR/RID, IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR/RID, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Kemler Number:	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 10)

· Transport category	2
· Tunnel restriction code	E

· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

edetic acid

sodium hydroxide

· **Hazard statements**

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 11)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Water hazard class:** Water hazard class 2 (Self-assessment): water-endangering.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· **Relevant phrases**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article
31

Printing date 13.02.2025

Version 1.0

Revision: 28.11.2023

Trade name: Rollei Washjet

(Contd. of page 12)

DNEL: Derived No-Effect Level (REACH)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Sources

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>
applicable EEC directives:
- 1907/2006
- 1272/2008

IRL